

Medical Examination Report

To be filled in by the Doctor. The applicant must fill in sections 10 and 11.

The doctor should fully examine the patient as well as taking the patient's history and answer all questions

1	Patient's weight (kg)			Height (cms)			
	Number of alcohol units take	en each week					
	Details of specialist /consultants, including address (if relevant to DVLA group 2 medical standards)						
	Date of last appointment						
	medication	dosage	r	reason taken			
2	<u>Vision</u>		075 :	h. h		YES	NO
		east 6/60 in the worst eye, and		-	rmally required	:	
	•	reach this standard without glas					
	(c) If correction is required to meet the above standard, is it is well tolerated? 3. State the visual acuities of each eye in terms of the 6m Snellen chart. Please convert any 3 metre readings to the 6 metre equivalent.						
					6		
	Uncorrected		Correcte	ed (if applicable)	, –		
	Note 1: It is not necessary to	Left	Right	nt requires alasses o	Left	es to reach th	ne
	Note 1: It is not necessary to record the uncorrected acuity if the patient requires glasses or contact lenses to reach the above standard.				.0		
	with vision which fails to mee	mstances a person who has held et the above acuity standards. T or seek further guidance in thes	he examir				
	A patient must not require	spectacles which have lenses	s of +8 die	optres or greater.			
		spectacles of +8 dioptres or grea of for the patient to obtain a decla			•	ent?	
	5. Is there a defect in the pat	tient's binocular field of vision (c	entral and	l/or peripheral)?			
	6. Is there diplopia? (controll	led or uncontrolled)?					
	7. Does the patient have any	y other ophthalmic condition? If '	YES to 4,	5 or 6, please give d	etails in Sectio	n 8	

Date of birth

Patient's name

It Has the patient had any form of epileptic attack? If YES, please answer questions a-f If NO go to question 2 (a) Has the patient had more than one attack? (b) Please give date of first and last attack First attack Last attack YES NO (c) Is the patient currently on anti-epilepsy medication? If Yes, please ill in current medication on the appropriate section on the front of this form (d) If no longer treated, date when treatment ended (e) If the patient has had a brain scan, please state: MRI Date Date Date (f) Has the patient had an EEG? If Yes please give date 2. Is there a history of blackout or impaired consciousness within the last 5 years? If YES, please give date(s) and details in Section 8 3. Is there a history of, or evidence of, any of the conditions listed at a-g below? If NO, go to Section 4. If YES, please give date Has the patient had a section 8. (a) Stroke or TIA please delete as appropriate If YES, please give date Has the patient had a section 8. (b) Sudden and disabling dizziness/vertigo within the last year with a liability to recurred the patient had used to the patient have diabetes mellitus? In Oes the patient have diabetes mellitus? In Does the patient have diabetes mellitus? In Oes the patient have an adequate understanding of diabetes and the necessary precautions for safe driving? (c) Oral hypoglycaemic agents and diet? (d) Oral hypoglycaemic agents and diet? (e) Dees the patient have an adequate understanding of diabetes and the necessary precautions for safe driving? (f) Does the patient text at times relevant to driving? (g) Does the patient have an adequate understanding of diabetes and the necessary precautions for safe driving? (h) Desvere peripheral neuropathy, sufficient to impair limb function for safe dr	Nervous System	YES
(a) Has the patient had more than one attack? (b) Please give date of first and last attack First attack Last attack Last attack VES NO (c) Is the patient currently on anti-epilepsy medication? If Yes, please fill in current medication on the appropriate section on the front of this form (d) If no longer treated, date when treatment ended (e) If the patient has had a brain scan, please state: MRI Date Step Step Step Step Step Step Step St	If YES, please answer questions a–f If NO go to guestion 2	
First attack		
(c) Is the patient currently on anti-epilepsy medication? If Yes, please fill in current medication on the appropriate section on the front of this form (d) If no longer treated, date when treatment ended (e) If the patient has had a brain scan, please state: MRI	(b) Please give date of first and last attack	
if Yes, please fill in current medication on the appropriate section on the front of this form (d) If no longer treated, date when treatment ended (e) If the patient has had a brain scan, please state: MRI Date	First attack Last attack YES NO	
(e) If the patient has had a brain scan, please state: MRI Date CT Date (f) Has the patient had an EEG? If Yes please give date 2. Is there a history of blackout or impaired consciousness within the last 5 years? If YES, please give date(s) and details in Section 8 3. Is there a history of or evidence of, any of the conditions listed at a-g below? If NO, go to Section 4. If YES, give dates and full details at Section 8. (a) Stroke or TIA please delete as appropriate If YES, please give date Has there been a full recovery? (b) Sudden and disabling dizziness/vertigo within the last year with a liability to recur (c) Subarachnoid haemorrhage (d) Serious head injury within the last 10 years (e) Brain turmour, either benign or malignant, primary or secondary (f) Other brain surgery or abnormality (g) Chronic neurological disorders e.g. Parkinson's disease, Multiple Sclerosis Diabetes Mellitus 1. Does the patient have diabetes mellitus? If NO, please go to Section 5. If YES, please answer the following questions. 2. Is the diabetes managed by: (a) Insulin? (b) Other injectable treatments? (c) A sulphonylurea or a glinide? (d) Oral hypoglycaemic agents and diet? (e) Diet only? 3. This question does not need to be answered unless the applicant takes insulin or sulphonylurea or glinide? (d) Does the patient test blood glucose every two hours whilst driving? (b) Does the patient test blood glucose every two hours whilst driving? (c) Does the patient test at times relevant to driving? (d) Does the patient carry fast acting carbohydrate in the vehicle when driving? (d) Does the patient have an adequate understanding of diabetes and the necessary precautions for safe driving? 4. Is there evidence of: (a) Loss of visual field? (b) Severe peripheral neuropathy, sufficient to impair limb function for safe driving?		
MRI Date CT Date (1) Has the patient had an EEG? If Yes please give date (2). Is there a history of blackout or impaired consciousness within the last 5 years? If YES, please give date(s) and details in Section 8	(d) If no longer treated, date when treatment ended	
(f) Has the patient had an EEG? If Yes please give date	(e) If the patient has had a brain scan, please state:	
2. Is there a history of blackout or impaired consciousness within the last 5 years? If YES, please give date(s) and details in Section 8 3. Is there a history of, or evidence of, any of the conditions listed at a-g below? If NO, go to Section 4. If YES, give dates and full details at Section 8. (a) Stroke or TIA please delete as appropriate If YES, give dates and full details at Section 8. (a) Stroke or TIA please delete as appropriate If YES, give dates and full details at Section 8. (a) Stroke or TIA please give date (b) Sudden and disabling dizziness/vertigo within the last year with a liability to recur (c) Subarachnoid haemorrhage (d) Serious head injury within the last 10 years (e) Brain tumour, either benign or malignant, primary or secondary (f) Other brain surgery or abnormality (g) Chronic neurological disorders e.g. Parkinson's disease, Multiple Sclerosis Diabetes Mellitus 1. Does the patient have diabetes mellitus? If NO, please go to Section 5. If YES, please answer the following questions. 2. Is the diabetes managed by: (a) Insulin? (b) Other injectable treatments? (c) A sulphonylurea or a glinide? (d) Oral hypoglycaemic agents and diet? (e) Diet only? 3. This question does not need to be answered unless the applicant takes insulin or sulphonylurea or glinide (a) Does the patient test at times relevant to driving? (b) Does the patient test at times relevant to driving? (c) Does the patient have an adequate understanding of diabetes and the necessary precautions for safe driving? (d) Does the patient have an adequate understanding of diabetes and the necessary precautions for safe driving? (d) Loss of visual field? (b) Severe peripheral neuropathy, sufficient to impair limb function for safe driving?	MRI Date CT Date	
If YES, please give date(s) and details in Section 8 3. Is there a history of, or evidence of, any of the conditions listed at a-g below? If NO, go to Section 4. If YES, give dates and full details at Section 8. (a) Stroke or TIA please delete as appropriate If YES, please give date Has there been a full recovery?	(f) Has the patient had an EEG? If Yes please give date	
If NO, go to Section 4. If YES, give dates and full details at Section 8. (a) Stroke or TIA please delete as appropriate If YES, please give date (b) Sudden and disabling dizziness/vertigo within the last year with a liability to recur (c) Subarachnoid haemorrhage (d) Serious head injury within the last 10 years (e) Brain tumour, either benign or malignant, primary or secondary (f) Other brain surgery or abnormality (g) Chronic neurological disorders e.g. Parkinson's disease, Multiple Sclerosis Diabetes Mellitus 1. Does the patient have diabetes mellitus? If NO, please go to Section 5. If YES, please answer the following questions. 2. Is the diabetes managed by:- (a) Insulin? (b) Other injectable treatments? (c) A sulphonylurea or a glinide? (d) Oral hypoglycaemic agents and diet? (e) Diet only? 3. This question does not need to be answered unless the applicant takes insulin or sulphonylurea or glinide (a) Does the patient test at times relevant to driving? (b) Does the patient test at times relevant to driving? (c) Does the patient takes an adequate understanding of diabetes and the necessary precautions for safe driving? 4. Is there evidence of:- (a) Loss of visual field? (b) Severe peripheral neuropathy, sufficient to impair limb function for safe driving?		
(c) Subarachnoid haemorrhage (d) Serious head injury within the last 10 years (e) Brain tumour, either benign or malignant, primary or secondary (f) Other brain surgery or abnormality (g) Chronic neurological disorders e.g. Parkinson's disease, Multiple Sclerosis Diabetes Mellitus	If NO, go to Section 4. If YES, give dates and full details at Section 8. (a) Stroke or TIA please delete as appropriate YES NO	
(d) Serious head injury within the last 10 years (e) Brain tumour, either benign or malignant, primary or secondary (f) Other brain surgery or abnormality (g) Chronic neurological disorders e.g. Parkinson's disease, Multiple Sclerosis Diabetes Mellitus 1. Does the patient have diabetes mellitus? If NO, please go to Section 5. If YES, please answer the following questions. 2. Is the diabetes managed by:- (a) Insulin? (b) Other injectable treatments? (c) A sulphonylurea or a glinide? (d) Oral hypoglycaemic agents and diet? (e) Diet only? 3. This question does not need to be answered unless the applicant takes insulin or sulphonylurea or glinide (a) Does the patient test at times relevant to driving? (b) Does the patient test at times relevant to driving? (d) Does the patient have an adequate understanding of diabetes and the necessary precautions for safe driving? 4. Is there evidence of:- (a) Loss of visual field? (b) Severe peripheral neuropathy, sufficient to impair limb function for safe driving?	(b) Sudden and disabling dizziness/vertigo within the last year with a liability to recur	
(e) Brain tumour, either benign or malignant, primary or secondary (f) Other brain surgery or abnormality (g) Chronic neurological disorders e.g. Parkinson's disease, Multiple Sclerosis Diabetes Mellitus 1. Does the patient have diabetes mellitus? If NO, please go to Section 5. If YES, please answer the following questions. 2. Is the diabetes managed by: (a) Insulin? (b) Other injectable treatments? (c) A sulphonylurea or a glinide? (d) Oral hypoglycaemic agents and diet? (e) Diet only? 3. This question does not need to be answered unless the applicant takes insulin or sulphonylurea or glinides (a) Does the patient test at times relevant to driving? (b) Does the patient test at times relevant to driving? (c) Does the patient have an adequate understanding of diabetes and the necessary precautions for safe driving? 4. Is there evidence of: (a) Loss of visual field? (b) Severe peripheral neuropathy, sufficient to impair limb function for safe driving?	(c) Subarachnoid haemorrhage	
(f) Other brain surgery or abnormality (g) Chronic neurological disorders e.g. Parkinson's disease, Multiple Sclerosis Diabetes Mellitus	(d) Serious head injury within the last 10 years	
Diabetes Mellitus	(e) Brain tumour, either benign or malignant, primary or secondary	
Diabetes Mellitus 1. Does the patient have diabetes mellitus? If NO, please go to Section 5. If YES, please answer the following questions. 2. Is the diabetes managed by:- (a) Insulin? (b) Other injectable treatments? (c) A sulphonylurea or a glinide? (d) Oral hypoglycaemic agents and diet? (e) Diet only? 3. This question does not need to be answered unless the applicant takes insulin or sulphonylurea or glinide (a) Does the patient test blood glucose every two hours whilst driving? (b) Does the patient test at times relevant to driving? (c) Does the patient carry fast acting carbohydrate in the vehicle when driving? (d) Does the patient have an adequate understanding of diabetes and the necessary precautions for safe driving? 4. Is there evidence of:- (a) Loss of visual field? (b) Severe peripheral neuropathy, sufficient to impair limb function for safe driving?	(f) Other brain surgery or abnormality	
1. Does the patient have diabetes mellitus? If NO, please go to Section 5. If YES, please answer the following questions. 2. Is the diabetes managed by:- (a) Insulin? (b) Other injectable treatments? (c) A sulphonylurea or a glinide? (d) Oral hypoglycaemic agents and diet? (e) Diet only? 3. This question does not need to be answered unless the applicant takes insulin or sulphonylurea or glinide (a) Does the patient test blood glucose every two hours whilst driving? (b) Does the patient test at times relevant to driving? (c) Does the patient carry fast acting carbohydrate in the vehicle when driving? (d) Does the patient have an adequate understanding of diabetes and the necessary precautions for safe driving? 4. Is there evidence of:- (a) Loss of visual field? (b) Severe peripheral neuropathy, sufficient to impair limb function for safe driving?	(g) Chronic neurological disorders e.g. Parkinson's disease, Multiple Sclerosis	
If NO, please go to Section 5. If YES, please answer the following questions. 2. Is the diabetes managed by:- (a) Insulin? (b) Other injectable treatments? (c) A sulphonylurea or a glinide? (d) Oral hypoglycaemic agents and diet? (e) Diet only? 3. This question does not need to be answered unless the applicant takes insulin or sulphonylurea or glinide (a) Does the patient test blood glucose every two hours whilst driving? (b) Does the patient test at times relevant to driving? (c) Does the patient carry fast acting carbohydrate in the vehicle when driving? (d) Does the patient have an adequate understanding of diabetes and the necessary precautions for safe driving? 4. Is there evidence of:- (a) Loss of visual field? (b) Severe peripheral neuropathy, sufficient to impair limb function for safe driving?	Diabetes Mellitus	
2. Is the diabetes managed by: (a) Insulin? (b) Other injectable treatments? (c) A sulphonylurea or a glinide? (d) Oral hypoglycaemic agents and diet? (e) Diet only? 3. This question does not need to be answered unless the applicant takes insulin or sulphonylurea or glinide (a) Does the patient test blood glucose every two hours whilst driving? (b) Does the patient test at times relevant to driving? (c) Does the patient carry fast acting carbohydrate in the vehicle when driving? (d) Does the patient have an adequate understanding of diabetes and the necessary precautions for safe driving? 4. Is there evidence of: (a) Loss of visual field? (b) Severe peripheral neuropathy, sufficient to impair limb function for safe driving?	If NO , please go to Section 5 . If YES , please answer the following questions.	
(c) A sulphonylurea or a glinide? (d) Oral hypoglycaemic agents and diet? (e) Diet only? 3. This question does not need to be answered unless the applicant takes insulin or sulphonylurea or glinide (a) Does the patient test blood glucose every two hours whilst driving? (b) Does the patient test at times relevant to driving? (c) Does the patient carry fast acting carbohydrate in the vehicle when driving? (d) Does the patient have an adequate understanding of diabetes and the necessary precautions for safe driving? 4. Is there evidence of:- (a) Loss of visual field? (b) Severe peripheral neuropathy, sufficient to impair limb function for safe driving?	2. Is the diabetes managed by:-	
(d) Oral hypoglycaemic agents and diet? (e) Diet only? 3. This question does not need to be answered unless the applicant takes insulin or sulphonylurea or glinide (a) Does the patient test blood glucose every two hours whilst driving? (b) Does the patient test at times relevant to driving? (c) Does the patient carry fast acting carbohydrate in the vehicle when driving? (d) Does the patient have an adequate understanding of diabetes and the necessary precautions for safe driving? 4. Is there evidence of:- (a) Loss of visual field? (b) Severe peripheral neuropathy, sufficient to impair limb function for safe driving?	(b) Other injectable treatments?	
(e) Diet only? 3. This question does not need to be answered unless the applicant takes insulin or sulphonylurea or glinide (a) Does the patient test blood glucose every two hours whilst driving? (b) Does the patient test at times relevant to driving? (c) Does the patient carry fast acting carbohydrate in the vehicle when driving? (d) Does the patient have an adequate understanding of diabetes and the necessary precautions for safe driving? 4. Is there evidence of:- (a) Loss of visual field? (b) Severe peripheral neuropathy, sufficient to impair limb function for safe driving?	(c) A sulphonylurea or a glinide?	
3. This question does not need to be answered unless the applicant takes insulin or sulphonylurea or glinide (a) Does the patient test blood glucose every two hours whilst driving? (b) Does the patient test at times relevant to driving? (c) Does the patient carry fast acting carbohydrate in the vehicle when driving? (d) Does the patient have an adequate understanding of diabetes and the necessary precautions for safe driving? 4. Is there evidence of:- (a) Loss of visual field? (b) Severe peripheral neuropathy, sufficient to impair limb function for safe driving?	(d) Oral hypoglycaemic agents and diet?	
3. This question does not need to be answered unless the applicant takes insulin or sulphonylurea or glinide (a) Does the patient test blood glucose every two hours whilst driving? (b) Does the patient test at times relevant to driving? (c) Does the patient carry fast acting carbohydrate in the vehicle when driving? (d) Does the patient have an adequate understanding of diabetes and the necessary precautions for safe driving? 4. Is there evidence of:- (a) Loss of visual field? (b) Severe peripheral neuropathy, sufficient to impair limb function for safe driving?	(e) Diet only?	
(b) Does the patient test at times relevant to driving? (c) Does the patient carry fast acting carbohydrate in the vehicle when driving? (d) Does the patient have an adequate understanding of diabetes and the necessary precautions for safe driving? 4. Is there evidence of:- (a) Loss of visual field? (b) Severe peripheral neuropathy, sufficient to impair limb function for safe driving?	3. This question does not need to be answered unless the applicant takes insulin or sulphonylure	ea or glinide
(c) Does the patient carry fast acting carbohydrate in the vehicle when driving? (d) Does the patient have an adequate understanding of diabetes and the necessary precautions for safe driving? 4. Is there evidence of:- (a) Loss of visual field? (b) Severe peripheral neuropathy, sufficient to impair limb function for safe driving?	(a) Does the patient test blood glucose every two hours whilst driving?	
(d) Does the patient have an adequate understanding of diabetes and the necessary precautions for safe driving? 4. Is there evidence of:- (a) Loss of visual field? (b) Severe peripheral neuropathy, sufficient to impair limb function for safe driving?	(b) Does the patient test at times relevant to driving?	
4. Is there evidence of:- (a) Loss of visual field? (b) Severe peripheral neuropathy, sufficient to impair limb function for safe driving?	(c) Does the patient carry fast acting carbohydrate in the vehicle when driving?	
(a) Loss of visual field? (b) Severe peripheral neuropathy, sufficient to impair limb function for safe driving?	(d) Does the patient have an adequate understanding of diabetes and the necessary precautions for safe driving?	
Potiont's name		
	(b) Severe peripheral neuropathy, sufficient to impair limb function for safe driving?	

	YES N	10
5. Is there any evidence of impaired awareness of hypoglycaemia?		
6. Has there been laser treatment for retinopathy or intra-vitreal treatment for retinopathy? If YES, please give date(s) of treatment		
7. Is there a history of hypoglycaemia in the last 12 months requiring the assistance of another person?		
If YES to any of 4–7 above, please give details in Section 7		
5 Psychiatric Illness		
		YES NO
Is there a history of, or evidence of, any of the conditions listed at 1–7 below? If NO , please go to Section 6 If YES , please tick the relevant box(es) below and give date(s), prognosis, per and details of medication, dosage and any side effects in Section 8 .	iod of stability	
If patient remains under specialist clinic(s), ensure details are given.	YES N	0
Significant psychiatric disorder within the past 6 months		
2. A psychotic illness within the past 3 years, including psychotic depression		
3. Dementia or cognitive impairment		_]
4. Persistent alcohol misuse in the past 12 months		_]
5. Alcohol dependence in the past 3 years		
6. Persistent drug misuse in the past 12 months		
7. Drug dependence in the past 3 years		
A Coronary Artery Disease		
Coronary Artery Disease		
		YES NO
Is there a history of, or evidence of, coronary artery disease? If NO, go to Section 6B		
If YES, answer all questions below and give details at Section 8.	YES N	0
Acute coronary syndromes including myocardial infarction? If YES, please give date(s)		
2. Coronary artery by-pass graft surgery? If YES, please give date(s)		
3. Coronary angioplasty (P.C.I) If YES, please give date of most recent intervention		
4. Has the patient suffered from angina? If YES, please give the date of the last known attack		
		\neg
Patient's name Date of birth		

6B	Cardiac Arrhythmia					
	Is there a history of, or evidence of, cardiac arrh	vthmia?			YES	NO
	If NO , go to Section 6C If YES , please answer all questions below and g					
	1. Has there been a significant disturbance of cadisease, significant atrio-ventricular conduction narrow or broad complex tachycardia in last 5 years.	defect, atrial flutter/fibrillation,	YES	NO		
	2. Has the arrhythmia been controlled satisfacto	rily for at least 3 months?				
	3. Has an ICD or biventricular pacemaker (CRS	T-D type) been implanted?				
	4. Has a pacemaker been implanted? If YES:-					
	(a) Please supply date of implantation					
	(b) Is the patient free of symptoms that caused t	he device to be fitted?				
	(c) Does the patient attend a pacemaker clinic re	egularly?				
	1			_		
6C	Peripheral Arterial Disease (exclu	ding Buerger's Disease) <i>I</i>	Aortic /	<u>Aneurysı</u>	m/Disse	ection
	Is there a history or evidence of ANY of the follo	wing:			YES	NO
	If YES , please tick ALL relevant boxes below, a If NO , go to Section 6D	nd give details in Section 8 of the fo				
	Peripheral arterial disease (excluding Buerge	r's Disease)	YES	NO		
	2. Does the patient have claudication? If YES, for how long in minutes can the patient v symptom-limited?	valk at a brisk pace before being				
	3. Aortic aneurysm IF YES:	_				
	(a) Site of Aneurysm: Thoracic Abdo	ominal				
	(b) Has it been repaired successfully?					
	(c) Is the transverse diameter currently > 5.5cms If NO , please provide latest measurement and d					
	4. Dissection of the aorta? If so give full details.					
	l.,					
6D	Valvular/Congenital Heart Disease	9				
					YES	NO
	Is there a history of, or evidence of, valvular/con If NO , go to Section 6E	genital heart disease?				
	If YES , please answer all questions below and g	give details in Section 8 of the form.	YES	NO		
	1. Is there a history of congenital heart disorder	?				
	2. Is there a history of heart valve disease?					
	3. Is there any history of embolism? (not pulmor	nary embolism)				
	4. Does the patient currently have significant syn	mptoms?				
	5. Has there been any progression since the las Please go to section 6E	t licence application? (if relevant)				
	Patient's name	Date of birth				

6E	Cardiac Other		
	Does the patient have a history ofany of the following conditions: (a) a history of, or evidence of, heart failure? (b) established cardiomyopathy? (c) a heart or heart/ lung transplant? (d) Untreated atrial myxoma If YES, please give full details in Section 8 of the form. If NO, go to section 6F	YES	NO
6F	Cardiac Investigations		
	If you answer yes to any of these questions please give relevant information in Section	8 YES	NO
	1. Has a resting ECG been undertaken? If YES, does it show:- YES NO		
	(a) pathological Q waves?		
	(b) left bundle branch block?		
	(c) right bundle branch block?		
	2. Has an exercise ECG been undertaken (or planned)?		
	If YES , please give date		
	3. Has an echocardiogram been undertaken (or planned)?		
	(a) If YES, please give date		
	(b) If undertaken, was the left ventricular ejection fraction greater than or equal to 40%?		
	4. Has a coronary angiogram been undertaken (or planned)?		
	If YES , please give date		
	5. Has a 24 hour ECG tape been undertaken (or planned)?		
	If YES , please give date		
	6. Has a myocardial Perfusion scan or stress echo study been undertaken (or planned)?		
	If YES , please give date		
6G	Blood Pressure		
		YES	NO
	1. Is today's best systolic pressure reading 180mm Hg or more?		
	2. Is today's best diastolic pressure reading 100mm Hg or more?		
	Please give today's reading		
	3. Is the patient on anti-hypertensive treatment? If YES to any of the above, please provide three previous readings with dates, if available		
	Patient's name Date of birth		

<u>General</u>		
Please answer all questions in this section. If your answer is 'YES' to any of the questions, please give	YES	NO
full details in Section 8.		
1. Is there currently a disability of the spine or limbs likely to impair control of the vehicle?		
2. (a) Is there a history of bronchogenic carcinoma or other malignant tumour, for example, malignant melanoma, with a significant liability to metastasise cerebrally? If YES, please give dates and diagnosis and state whether there is current evidence of dissemination		
(b) Is there any evidence the patient has a cancer that causes fatigue or cachexia that affects safe driving?		
3. Is the patient profoundly deaf?		
If YES , is the patient able to communicate in the event of an emergency by speech or by using a device,		
e.g. a textphone? YES NO		
 Does the patient have a history of alcoholic liver disease and/or liver cirrhosis of any origin? YES, please give details in Section 8 		
5. Is there a history of, or evidence of, sleep apnoea syndrome? If YES, please provide details (a) Date of diagnosis		
(b) If yes, is it controlled successfully? YES NO		
(c) If YES , state treatment (d) Please state period of control		
(e) Date last seen by consultant		
6. Does the patient suffer from narcolepsy or cataplexy? If YES, please give details in Section 8		
7. Is there any other medical condition causing excessive daytime sleepiness?		
If YES, please provide details (a) Diagnosis		
(b) Date of diagnosis		
(c) Is it controlled successfully? YES NO		
(d) If YES , state treatment (e) State period of control		
(f) Date last seen by consultant 8. Does the patient have severe symptomatic respiratory disease causing chronic hypoxia?		
9. Does any medication currently taken cause the patient side effects that could affect safe driving?		
If YES , please provide details of medication and symptoms		
Does the patient have any other medical condition that could affect safe driving?		
If YES, please provide details		

Date of birth

Patient's name

	3	
	Patient's name Date of birth	
_	Medical Practition	er Details
	To be filled in by Doctor carrying ou Please ensure all relevant sections of the form have been fill	it the examination
_ 3	be returned for completion	
	Doctor's details (please print name and address in capital letters)	Surgery Stamp and GMC Registration Number
	Name Address	
	Telephone	
	Signature of Medical Practitioner	Date of Examination

Applicant's Details To be filled in before the examination

Please make sure that you have printed your name and date of birth on each page before the examination

10	Your details		
	Your full name	Date of Birth	
	Your address	llama mhana mumhan	
-		Home phone number	
_			
	Email address	Work/Daytime number	
_	About your GP/Group Practice	_	
F	GP/ Group name	_	
	Address	-	
-		1	
-			
	Phone		
11	Patient's consent and declaration		
11	dient 3 consent and declaration		
	This section \boldsymbol{MUST} be filled in and must \boldsymbol{NOT} be altered in		
	Please read the following important information carefully the	en sign to confirm the statements b	elow.
	Important information about Consent On occasion, as part of the investigation into your fitness to examination or some form of practical assessment. In thes background medical details to undertake an appropriate ar orthoptists at eye clinics or paramedical staff at a driving as your fitness to drive will be released. I now authorise the defitness to drive and to release medical information only to to on my fitness and safety to work. I am aware that I can require	e circumstances, those personnel in nd adequate assessment. Such pers ssessment centre. Only information octor carrying out this assessment to he extent which it is necessary for the	nvolved will require your sonnel might include doctors, relevant to the assessment of o inform the Council of my he Council to make decisions
	Consent and Declaration I authorise my Doctor(s) and Specialist(s) to release report to drive, to the Council Medical Advisor about my condition		dition relevant to my fitness
	I authorise the Council to disclose such relevant medical in to drive, to doctors, paramedical staff and to release to my medical information.	formation as may be necessary to t doctor(s) details of the outcome of	he investigation of my fitness my case and any relevant
	I declare that I have checked the details I have given on the and belief, they are correct.	e enclosed questionnaire and that, t	to the best of my knowledge
	Name		
	Signature	Da	te

Medical statement for drivers with tablet-controlled diabetes

Licensing requirements for holding a group 2 licence (lorries and buses) and taxis require people with diabetes treated by certain tablets as shown below to obtain a statement from their doctor and make a declaration themselves. Please obtain a statement from your doctor as below, and please sign the second declaration yourself.

Sulphonylureas, including the following	Glinides, which include the following tablets	
Chlorpropamide, Glibenclamide, Gliclazide, Glimepiride	Nateglinide also known as Starlix	
Glipizide, Glibense, Tolbutamide	Repaglinide also known as Prandin	

You must have attended an examination by a doctor such as your GP who must sign the following statement.

Driver's name	Date of birth				
 has a history of rehypoglycaemia. has full awarenes has not, during the episode of severe regularly monitor 	an examination with me. I am a registered medical practitioner. I confirm that he/she: esponsible diabetic control and currently has a minimal risk of impairment due to as of hypoglycaemia; he period of one year immediately preceding the date when the licence is granted, had an exhypoglycaemia; and as his or her condition and, in particular, undertakes blood glucose monitoring at least at times relevant to driving				
Signature of doctor and date:					
Name, address and authentication stamp of doctor:	authentication stamp of				
You must also sign the fo	ollowing declaration yourself:				
Drivers name:	Date of birth:				
diabetes as may f treatment, or one practitioner; 2. I will immediately will follow the ad	risk of hypoglycaemia and will comply with such directions regarding treatment for from time to time be given by the registered medical practitioner overseeing that e of the clinical team working under the supervision of that registered medical report to the licensing authority in writing any significant change in my condition and vice of my registered medical practitioner, or one of the clinical team working under the at registered medical practitioner, concerning fitness to drive.				
Signature and date:					
Name, address and authentication stamp of doctor: You must also sign the form Drivers name: 1. I understand the diabetes as may form treatment, or one practitioner; 2. I will immediately will follow the adsupervision of the	Date of birth:				

Medical statement for drivers with diabetes using insulin

Licensing requirements for holding a group 2 licence (lorries and buses) and taxis require people with diabetes treated by insulin to obtain a statement from a hospital specialist and make a declaration themselves. Please obtain a statement from a specialist as below, and please sign the second declaration yourself.

You must have attended an examination by a hospital consultant specialising in the treatment of diabetes, and you must have the following statement from a consultant. The consultant may either sign below or reproduce the statement on headed paper.

Driver's name:	Date of birth:				
I am a consultant specialising in the treatment of diabetes and I have seen this person in the last year. I confirm that he/she: 1. has a history of responsible diabetic control. 2. currently has a minimal risk of impairment due to hypoglycaemia. 3. has undergone treatment with insulin for at least four weeks. 4. has full awareness of, and understand the risks of, hypoglycaemia. 5. has not, during the immediately preceding year, had an episode of severe hypoglycaemia. 6. regularly monitors his or her condition and, in particular, undertakes blood glucose monitoring at least twice daily and at times relevant to driving, using a device that incorporates an electronic memory function to measure and record blood glucose levels, and undertakes to continue so to monitor. 7. will continue to have annual reviews with a hospital specialist.					
Signature of consultant and date:					
Name, address and authentication stamp of consultant:					
You must also sign the fo	ollowing declaration yourself:				
Driver's name:	Date of birth:				
 I understand the risk of hypoglycaemia and will comply with such directions regarding treatment f diabetes as may from time to time be given by the registered medical practitioner overseeing my treatment, or one of the clinical team working under the supervision of that registered medical practitioner. I regularly monitor my condition and, in particular, undertake blood glucose monitoring at least tv and at times relevant to driving, using a device that incorporates an electronic memory function to measure and record blood glucose levels, and I undertake to continue so to monitor. 					
 I will immediately report to the licensing authority in writing any significant change in my condition and will follow the advice of my registered medical practitioner, or one of the clinical team working under the supervision of that registered medical practitioner, concerning fitness to drive. 					
Signature and date:					

MEDICAL CERTIFICATE FOR HACKNEY CARRIAGE AND PRIVATE HIRE DRIVERS

Name of driver Da			Da	te of birth		
Address						
		s the DVLA C1 category, group 2 n ivate hire vehicles.	nedica	standard of fitness and is therefore fit to drive		
		not meet the DVLA C1 category, g rriage/private hire vehicles.	roup 2	medical standard of fitness and is therefore not fit		
produc diabet	ced to you the	form "Medical statement for driver	rs <i>with</i> ipplica	considered fit and granted a licence once he has diabetes using insulin", duly completed by a nt a copy of this form. You should require a fresh onths.		
		er of relevance but I recommend the follow the following recommendation		consider him fit to hold a licence for the time arding further medical evidence:		
				eeks, a written statement from his doctor stating sary) is not consistently above 180/100.		
	stating that h worse eye, u	nis visual acuity, with glasses if nec	essary	veeks, a written statement from an optometrist v, is at least 6/7.5 in the better eye and 6/60 in the that any necessary spectacle lenses do not have		
	specialist sta	iting that within the last three years	he ha	e months, a statement from his GP or hospital is had an exercise treadmill test or other instrates that he meets the DVLA group 2		
	controlled dia			e form "Medical statement for drivers with tablet- ctitioner and by himself. I have given the		
Is there a	s there any reason to have a review before five years, or annually if over the age of 65?					
□ No, on	□ No, only as above □ Yes, more frequently If yes state what interval is recommended:					
Doctor's	signature			Surgery Stamp:		
Doctor's	Doctor's name (please print)					
Date of examination						

Notes for the examining doctor:

Taxi and private hire drivers must achieve the same medical standard as DVLA group 2 (Medical Aspects of Fitness to Drive, The Medical Commission on Accident Prevention 1995; and Fitness to Drive, A Guide for Health Professionals, Tim Carter, Chief Medical Advisor to the Department for Transport, 2006)

If the applicant is applying for a new licence, the required medical standard must be met before the person can be certified as fit. If an applicant is renewing an existing licence, and the problem which is identified is not of immediate medical concern, such as blood pressure marginally above the DVLA group 2 level or visual acuities marginally worse than the DVLA group 2 level, the candidate should be considered to be a "provisionally fit" and allowed to hold a licence with appropriate instructions to the licensing authority as indicated above.

An applicant using insulin for diabetes must produce both a declaration from a diabetes consultant and a declaration signed by himself, confirming a satisfactory level of control and monitoring as specified in the accompanying form " *Medical statement for drivers with diabetes using insulin*". He should not be considered fit to hold a licence until this is done.

An applicant taking sulphonylureas or glinides must produce both a declaration from a doctor and from himself confirming a satisfactory level of control and monitoring as specified in the accompanying form "Medical statement for drivers with tablets-controlled diabetes" but may be allowed a period of grace to obtain this evidence.

A person who has a history of established ischaemic heart disease including a heart attack, angina, or insertion of a stent at any time in the past, whether recent or distant, must have three yearly exercise treadmill tests or another equivalent functional test and be able to demonstrate a satisfactory standard equivalent to DVLA group 2 standard.